

LEDVANCE.COM

ROBUST
IP65
IK10

Multi
Colour
3000 K
4000 K

5Y
GUARANTEE

LEDVANCE

VERSATILE LUMINAIRE IN MULTIPLE
VERSIONS WITH ADJUSTABLE
MULTI SELECT FEATURES

BULKHEAD COMPACT RECTANGULAR

ROBUST IP65 LUMINAIRE FOR
PORCH LIGHTING AND STAIRWAYS



BULKHEAD COMPACT RECTANGULAR

VALUE
CLASS



VERSATILY AT ITS BEST EFFICIENT, FLEXIBLE AND DURABLE FOR INDOOR AND OUTDOOR APPLICATIONS

LEDVANCE BULKHEAD RC offers unique flexibility thanks to Multi Select: the colour temperature (Multi Colour – MC) is adjustable to 3000 K and 4000 K. In addition, the power is selectable (Multi Lumen – ML) on the driver, making the luminous flux adjustable in 3 steps, from 500 to a maximum of 840 lumens. With a high IP65 rating, this product is perfect for use in dusty and damp areas, while its high IK10 rating ensures that it can withstand vandalism and rough handling. This makes it ideal for installation in public areas such as porches, hallways, stairwells, passageways and underpasses. The housing (white or black) and cover are made of UV-resistant PC. The fixture is designed for easy installation with multiple mounting patterns and plug-in terminals for tool-free connection.



- + **ROBUST:** IP65 and IK10 for optimized protection
- + **MULTI SELECT:** Adjustable luminous flux and colour temperature
- + **VERSATILE:** Available in On/Off, Sensor, Emergency, and Sensor / Emergency versions
- + **HIGH QUALITY:** ENEC certification, 5-year warranty


BREAKDOWN OF THE MAIN BULKHEAD RC BENEFITS



- 1 Housing made of UV resistant PC
- 2 Designed with multiple installation patterns and plug-in terminals for quick mounting (included)
- 3 Quick connector for fast mounting
- 4 Sensor versions with adjustable dip switches for daylight, burn time and detection area
- 5 Knockouts on both short sides




WOULD YOU LIKE MORE INFORMATION?



Visit our website
to discover more
about our products
and services.
ledvance.com

Does your project require something not
shown? LEDVANCE Project Services can
create lighting solutions to fit your specific
needs. Get in touch:
contact@ledvance.com

2 HOUSING COLOURS (BLACK OR WHITE)



MULTI SELECT: LESS COMPLEXITY, MORE FLEXIBILITY

Our Multi Lumen feature allows installers to set the desired lumen output in three steps prior to installation. Multi Colour also allows the color temperature to be adjusted to 3,000 K or 4,000 K. This reduces the complexity of product selection, as fewer product EAN's are required. These simple settings are done on the driver inside the luminaire.

BENEFITS:

- Simplified product selection
- Flexible setup before installation
- Simple operation
- Proven quality



Our **MULTI SELECT** luminaires offer a practical
and efficient solution for lighting up your projects.



LEDVANCE


ABOUT LEDVANCE

With business activities in over 140 countries, LEDVANCE is one of the world's leading general lighting companies. Emerging from OSRAM's general lighting division, LEDVANCE's portfolio includes LED lamps and luminaires, intelligent lighting products, traditional lamps and renewable energy solutions.
#POWERTHROUGHLIGHT

LEDVANCE GmbH
Parking 1-5
85748 Garching
Germany

BULKHEAD COMPACT RC

VALUE CLASS



1



2



Product name

GTIN (EAN)

lm

W

lm/w

K

L70¹

°

L × W × H [mm]

No.

BULKHEAD COMPACT RC (RECTANGULAR)

BULKHEAD COMPACT RC V 8W MS IP65 BK	4099854290480	500/690/840	1x13W CFLi	100	3000/4000	50000	125	356 × 115 × 80	1	
BULKHEAD COMPACT RC V 8W MS IP65 WT	4099854290503	500/690/840	1x13W CFLi	100	3000/4000	50000	125	356 × 115 × 80	2	

BULKHEAD COMPACT RC SENSOR

BULKHEAD COMPACT RC SEN V 8W MS IP65 BK	4099854290527	500/690/840	1x13W CFLi	100	3000/4000	50000	125	356 × 115 × 80	1	
BULKHEAD COMPACT RC SEN V 8W MS IP65 WT	4099854290602	500/690/840	1x13W CFLi	100	3000/4000	50000	125	356 × 115 × 80	2	

BULKHEAD COMPACT RC EMERGENCY

BULKHEAD COMPACT RC EL V 10W MS IP65 BK	4099854290664	500/690/840	1x13W CFLi	100	3000/4000	50000	125	356 × 115 × 80	1	
BULKHEAD COMPACT RC EL V 10W MS IP65 WT	4099854290688	500/690/840	1x13W CFLi	100	3000/4000	50000	125	356 × 115 × 80	2	

BULKHEAD COMPACT RC EMERGENCY/SENSOR

BULKHEAD COMPACT RC EL SN V 11W MS IP65 BK	4099854290701	500/690/840	1x13W CFLi	100	3000/4000	50000	125	356 × 115 × 80	1	
BULKHEAD COMPACT RC EL SN V 11W MS IP65 WT	4099854290725	500/690/840	1x13W CFLi	100	3000/4000	50000	125	356 × 115 × 80	2	

Want to know more?



¹ t[h]: L70/B50 @ 25 °C (T_a)

² Refer to www.ledvance.com/guarantee for precise conditions

LEDVANCE.COM